

AVIKO B.V. Burg. Smitstraat 2 7221 BJ Steenderen - Nederland Tel. 31 (0)575 458200

Postbus 8 7220 AA Steenderen - Nederland

Productspecification Aviko H Pommes Frites Steakhouse 5x2500g

General Information

General Information

Product description	Steakhouse fries, pre-fried and quick-frozen.
Size	10 x 20 mm
Process description	This product is made of potatoes which are washed, sorted, peeled, cut, blanched, dried, prefried in vegetable oil, quick frozen and packed.
Potatoes - comment	The processed potatoes are purchased from approved suppliers who meet local laws and regulations, are certified for GLOBAL-GAP and/or Dutch VVA, QS-GAP or IKKB certificate for potatoes and comply with strict quality criteria of Aviko.
Brand	Aviko
Article number	240522
SF-number	835020
Intra stat number	2004101000
Halal certified	This product is Halal certified by Halal Correct.



Ingredient declaration

Ingredient declaration

Ingredients: potatoes, palm oil

Quality Parameters

Physical

		Min.	Target	Max.	Comment
<25mm weight	% w/w			4	
>50mm weight	% w/w	50			
	% w/w		0	10	
Standard	du/kg	0	19	35	
	% w/w		0	5	
	>50mm weight	>50mm weight % w/w % w/w Standard du/kg	<25mm weight % w/w 50 % w/w 50 % w/w Standard du/kg 0	<25mm weight	<25mm weight

Defect-units: sum of points for all pieces with minor, major and gross defects for a sample of 1000g.

Minor defect (light 6-12mm, dark 3-6mm): I point Major defect (light 12-18mm, dark 6-12mm): 2 points Gross defect (light >18mm, dark >12mm): 3 points

Chemical properties

			Min.	Target	Max.	Comment
Moisture content	Halogen dryer	%	68	71	74	
Fat content	Soxtherm	%	1.5	3	4.5	

Microbiological properties

			Min.	Target	Max.	Comment
Aerobic plate count	end of shelflife	cfu/g			100,000	
Enterobacteriaceae	end of shelflife	cfu/g			1,000	
Staphylococcus Coagulase Positive	end of shelflife	cfu/g			500	
Salmonella	end of shelflife	cfu/25g			0	Absent
Escherichia coli	end of shelflife	cfu/g			100	
Listeria monocytogenes	end of shelflife	cfu/25g			0	Absent

Specification version: 54

Date of standard : 3/23/2023 8:36:54 AM Issue date : 11/24/2023 6:33:45 PM

Sensorical properties

		Min.	Target	Max.	Comment
Sensorical properties - Colour USDA					
	UOM	Value		Descrip	tion
Colour unprepared	USDA	00-0		Light yel	low
Colour prepared	USDA	max. 2		Golden y	ellow

USDA-colour card

USDA-colour card, Munsell Colour Company.

(treatment according DPPA-standard: frying 500g of product 3 min. at 180°C in a calibrated fryer with 10 litres of oil).

Texture

Slight crispy crust with a uniform smooth inside of cooked potatoes. \\

Odou

A pleasant odour, characteristic for deep fried potatoes.

Taste

A pleasant taste, characteristic for deep fried potatoes.

Nutrition

Nutritional data EU

Nutrient	Attribute	UOM	per 100g as sold	%RI
Energy	kJ	kJ	530	
Energy	kCal	kcal	125	6
Fat		G	3	4
Fat of which	Saturated	G	1.5	8
Carbohydrates		G	21	8
Carbohydrates of which	Sugars	G	0.4	0.4
Dietary fibre		G	2.5	
Protein		G	2.5	5
Salt		G	0.1	2

Allergens

Allergens (annex II EU regulation 1169/2011)

Allergen	To Declare	Not present	Present	May Contain Concentration in ppm	Remarks
Cereals containing gluten		abla			
Crustacaeans and products thereof		Z			
Eggs and products thereof		abla			
Fish and products thereof		abla			
Peanuts and products thereof		abla			
Soybeans and products thereof		Z			
Milk and products thereof		abla			
Nuts and products thereof		abla			
Celery and products thereof		abla			
Mustard and products thereof		abla			
Sesame seeds and products thereof		abla			
Sulphur dioxide and sulpithes >10 ppr	m	abla			
Lupine and products thereof		abla			
Mollucs and products thereof		abla			

Storage/transport conditions

Storage conditions

Storage: -18°C until end of shelf life or at +4°C during max. 8 days. Do not refreeze after thawing.

Specification version: 54

Date of standard : 3/23/2023 8:36:54 AM Issue date : 11/24/2023 6:33:45 PM

	UOM	Value
Temperature product during storage	°C	max18
Delivery temperature	°C	max18

Shelf life

	Code	
Storage life in days	730	
Min. rem. shelf life/day at time of loading	182	

Coding

Lotcode, expiry date, packaging content/weight, product description

Packaging details

Packaging details [Consumer unit]

General information

	Туре
EAN code	8710449001620
Material type	Pillow
Green point	Yes
Composition	LD-PE

Dimensions

	Value	UOM	Length	Width	Height
Consumer unit		mm	480	300	45

Packaging details [Box]

General information

	Туре		
EAN code		8710449999019	
Material type	Regular slotted box		
Material category	Corrugated cardboard		
Green point	No		

Dimensions

	Value	UOM	Length	Width	Height
Box external practical		mm	393	261	275

Packaging details [Pallet]

General information

	Туре
Material type	Pallet

Dimensions

	Value	UOM	Length	Width	Height
Dimensions material		mm	1,200	800	144

Packaging details [Full pallet]

Pallet details

	UOM	Value
# units per layer		9
# layers per pallet		6
# units per pallet		54
Calculated pallet height	cm	180

Consumer information

Cooking instruction fryer

Specification version: 54

Issue date :

Date of standard : 3/23/2023 8:36:54 AM 11/24/2023 6:33:45 PM © AVIKO - Productspecification

Issued By Corporate Quality Department Aviko

Max. 175°C, portion approx. 500g, 3-3½ min.

Claims

Claims diet

Property	Suitable for	Comment
Ovo-lacto vegetarian	Z	
Vegan	Z	
Low sodium diet		

Legal Requirements

GMO statement

Hereby Aviko declares that none of our products, produced, packed, delivered and sold are genetically modified. None of the ingredients contain any genetically modified organism. No biotechnology or processing agents produced by means of gentechnology have been used during production. The product complies with the European non-GMO regulation (EG) nr. 1829/2003 and 1830/2003.

weight registration e-symbol

Aviko's standard procedure for packing of products/units is based upon average weight (e-symbol). For specific countries with relevant legislation, the procedure for packed products/units is based upon nominal weight.

Pesticides statement

Aviko declares that pesticides residues in products supplied by Aviko are according to regulation (EU) 396/2005 and its amendment regulation (EU)310/2011.

Statement on contaminants

Aviko declares that all products produced and supplied by Aviko comply with regulation (EU) 1881/2006, setting maximum levels for certain unwanted components.

Other requirements

Sampling

In case of arbitration a lot is judged by taking a lot sample, per packaging. Normally, max. one lot sample is taken per two pallets. One lot consists of several pallets of at least 2 different shift dates. The lot samples are being mixed to one compilation sample. From this compilation sample a sample of I kg is taken to judge the quality.

Quality Management Systems

The production location where this article is being produced, has a quality management system that is certified to a GFSI recognised scheme. In case of a BRC certification at least B grade is required, for an IFS certification at least Foundation Level.

Disclaime

Aviko has the right, when delivery from a new crop starts, to adjust the specification with regard to the length within the valid contract to the on that moment available range of raw material. This specification is based on the moving average, with the help of methods of analysis from Aviko laboratories.

Signature

Signature General Quality Manager Aviko-group

Ing. T.H.M.S. (Simone) Nelissen

Specification version: 54

Date of standard : 3/23/2023 8:36:54 AM lssue date : 11/24/2023 6:33:45 PM